

The ultimate defense against the weather.

Powerful Protection, Lasting Durability


Hydrofend® is designed with great water resistance and long-lasting durability, creating the ultimate protective cover fabric. From boat and personal watercraft covers to a variety of other uses, Hydrofend offers water resistance up to six times greater than uncoated fabrics, making it ideal for keeping boat and personal watercraft, outdoor storage areas, and outdoor furniture dry.

Forged from durable polyester monofilament yarn, the incredible tear and tensile strength of Hydrofend will handle many application requirements. A proprietary back coating armors up this tough-wearing textile to block and defend against moisture, creating a strong barrier during the heaviest weather.


Functional Style That Wins

Hydrofend comes in 13 rich colors, engineered to hold their vibrancy season after season thanks to a solution-dyed fiber construction. Not your typical coated cover fabric, Hydrofend is specially back-coated, leaving the face side with an attractive matte, woven look.


Surprisingly lightweight, Hydrofend is easy to tow without wind-whipping, and to pack up and store without cracking. Breathability helps keep this functional fabric from picking up mold and mildew.



Military Tan
777131 BINDING 503831




Desert Beige 777133 BINDING 503833




Bronze Taupe
777136 BINDING 503836




Mahogany Brown 777141 BINDING 503841




Bold Black 777134 BINDING 503834




Deep Maroon
777137 BINDING 503837



Radiant Red
777145 BINDING 503845




Iron Grey
777135 BINDING 503835



Meteor Grey 777130 BINDING 503830



Olympic Blue 777139 BINDING 503839



Admiral Navy 777132 BINDING 503832



Amazon Green
777138 BINDING 503838



Hunter Green
777147 BINDING 503847



Exceptional Performance

- Excellent water repellency
- Gel-coat friendly, non-abrasive back
- High tear & tensile strength
- Mold & mildew resistant
- Fade resistant
- Bleach cleanable
- Easy to tow without wind-whipping
- Lightweight and easy to store without cracking
- Resists puckering when sewn
- Fray resistant

Hydrofend does not require a hot knife or serging during fabrication and resists unraveling. As with most coated products, for best results, the non-coated face of the fabric should be exposed to the sun.

5-Year Warranty*

This limited warranty covers the fabric becoming unserviceable because of loss of color or strength from normal usage and exposure conditions, including sunlight, mildew and atmospheric chemicals. This limited warranty coverage runs for 5 years* from the date of original installation. Consumer is responsible for normal care and cleaning of the fabric. The warranty covers fabric only and not improper installation. We will supply new fabric to replace the fabric that becomes unserviceable. The liability of Trivantage or its affiliates is expressly limited to this warranty.

Fabric Weight ASTM D3776	8oz/yard ²
Roll Size	100 yards (91 meters)
Finished Fabric Width ASTM D3774	60 inches (152cm)
Hydrostatic Test AATCC 127	79 inches (200cm)
Spray (Large) AATCC 22	100
Break Strength ASTM D5034	Warp: 375 pounds Fill: 345 pounds
Tear Strength ASTM D2261	Warp: 40 pounds Fill: 40 pounds
Circular Bend Stiffness ASTM D4032	5.09
Wyzenbeek Abrasion ASTM D4157	100,000 double rubs
Color Fastness to Light AATCC 2261	4–5 after 2,000 hours
Warranty	5 years (3 years for Deep Maroon and Radiant Red)
Mullen Burst ASTM D3786	200+ psi
Taber Abrasion ASTM D3884-09 (H-22 wheels, 1,000 gram load)	9,000 cycles
Water Vapor Transmission ASTM E96B	326 grams
Cold Crack -40°F, ASTM D1912	Pass

Matching binding is available for a clean, finished look to complete your project.



^{*3-}year limited warranty for Deep Maroon and Radiant Red

"Hydrofend"

The ultimate defense against the weather.



Need help?

Your customer care team is just a call or click away.

800.786.1876 | trivantage.com